



# FIG. 1



BP = blood pressure, HR = heart rate

# FIG. 2




BP = blood pressure, HR = heart rate

BEST AVAILABLE COPY

00115000 101299


**FIGURE 3**  
**rBP1<sub>21</sub> Reduces Hypotension Resulting from Intestinal Ischemia/Reperfusion Injury**



**FIG. 3A**

**FIG. 3B**

**FIGURE 4**  
**rBP1<sub>21</sub> Prevents Bradycardia Resulting from Intestinal Ischemia/Reperfusion Injury**




**FIG. 4A**

**FIG. 4B**


09445622 101299

**FIGURE 5**  
**rBPI<sub>21</sub> Reduces Respiratory Depression Resulting from Intestinal Reperfusion**



**FIG. 5**


**FIGURE 6**  
**rBPI<sub>21</sub> Reduces Arrhythmias in Intestinal Ischemia/Reperfusion Injury**



**FIG. 6**


2024-10-23 10:13:39

**FIGURE 7**  
rBPI<sub>21</sub> Treatment Increases Survival Time




**FIG. 7**

**FIGURE 8**  
rBPI<sub>21</sub> Reduces Translocation of Bacteria Resulting from Intestinal Ischemia/Reperfusion



**FIG. 8A**



**FIG. 8B**